

CSP

CLASSIC.SPORTS.PISTOL.



The sports pistol legend comes home

CLASSIC.SPORTS.PISTOL.



CLASSIC.SPORTS.PISTOL.

CSP CLASSIC	CSP DYNAMIC	CSP EXPERT
Item No. 2875357	Item No. 2875349	Item No. 2875331 (CSP Expert) Item No. 2880784 (CSP Expert Walnut)
Classic: w/o Rotatable Frontsight & w/o Accessory (Prism) Rail	FRAME Rotatable Frontsight & Accessory (Prism) Rail	FRAME Rotatable Frontsight & Accessory (Prism) Rail
GRIP Classic Grip	GRIP Dynamic Grip	GRIP Expert Grip, adjustable
SIGHT Fixed front sight and Rear sight black w/o Contrast markings	SIGHT Front & Rear sight black WITH Contrast markings	SIGHT Front & Rear sight black w/o Contrast markings
SAFETY Standard Safety	SAFETY IPSC Safety	SAFETY Standard Safety
<ul style="list-style-type: none"> • Steel Frame • Slide tenifer® treated • 1911 style grip panels in caucasian walnut • Very well suited also for left-handed shooters • Click adjustable rear sight • 10 round magazine (2 magazines included) • Manual safety • .22L.r. • Barrel length 150 mm • 235/125/36 mm 9.252/4.921/1.417 inch • Weight 840 g / 1.852 lbs • Trigger weight 1000 g 	<ul style="list-style-type: none"> • Steel Frame • Slide tenifer® treated • Dynamic Grip panels in caucasian walnut • Adjustable Matchtrigger • Click adjustable rear sight with contrast markings • Rotatable front sight with contrast marking • 45-degree manual IPSC Safety • 11 mm accessory rail as well as holes for attaching a picatinny rail and other mounts • 10 round magazine (2 magazines included) • .22L.r. • Barrel length 150 mm • 235/125/40.5 mm 9.252/4.921/1.595 inch • Weight 880 g / 1.94 lbs • Trigger weight 1000 g – 1360 g 	<ul style="list-style-type: none"> • Steel Frame • Slide tenifer® treated • Anatomic Competition Grip in Angel Blue Laminated wood (Standard) or Caucasian Walnut (Optional) • Adjustable Matchtrigger • Click adjustable rear sight • Rotatable front sight • Frontweight 100 g • Alternative synthetic cover for use instead of frontweight • 11 mm accessory rail as well as holes for attaching a picatinny rail and other mounts • 10 round magazine (2 magazines included) • Manual safety • .22L.r. • Barrel length 150 mm • 245/145/50 mm 9.646/5.709/1.968 inch • Weight 950 g / 2.09 lbs • Trigger weight 1000 g – 1360 g

ACCESSORIES

2742742	Front weight 100 g	2742812	Hi grip right/left black	2765551	Picatinny Rail with mounting for CSP
2743010	Front weight 165 g	2843684	Carbon design grip	2743772	Triangular front sight, turnable 4,7/4,4/3,8
2742736	Plastic cover (Plinking)	2849836	Molded walnut grip	2743774	Triangular front sight, turnable +1 4,0/3,6/3,2
2742990	Magazine 10-round	2870894	Grip for CSP Dynamic	2743778	Triangular front sight, turnable +1 3,8/4,4/4,7
2742816	Hi grip right, size S	2873303	Grip for CSP Classic		
2742814	Hi grip right, size L	2815621	Walnut grip right, size L, adjustable		



Classic

THE NAME SAYS IT ALL. CLASSIC DESIGN /
1911 STYLE GRIP PANELS / SUPERIOR ELEGANCE



Dynamic

THE MOST VERSATILE CSP WITH
A PROFOUND DYNAMIC HEART



Expert

THE MOST UNCOMPROMISING CSP
FOR THE DEMANDING COMPETITOR

CSP

CLASSIC.SPORTS.PISTOL.



Trigger

CLEAN AND ULTRA CRISP
GLASS LIKE BREAK
A TRUE WALTHER

Beauty

- Modern classic
- Timeless design
- Elegant silhouette

Ergonomics

- Superior 'pointability'
- Intuitive controls
- Perfect balance
- Easy target acquisition

Ulm "Best" Quality

- Quality forged steel frame
- Frame and slide milled from a solid steel bar
- Durable Tenifer finish like Walther Duty Pistols
- Super Terrain Serrations for ease of use

CONTACT DETAILS

Carl Walther GmbH
Im Lehrer Feld 1
D-89081 Ulm
Germany
Phone +49-731-1539-0
info@carl-walther.de



WANT TO LEARN MORE?

Visit the Walther website and our social media channels to get the latest on our current offers and promotions.

carl-walther.de [f/WALTHERWAFFEN](#) [y/CARLWALTHERTV](#) [i/CARL_WALTHER_GERMANY](#)

We reserve the right to make colour and design changes and technical improvements. No responsibility is accepted for printing errors or incorrect information.
All information provided without any guarantee. © 2023 Carl Walther GmbH / Printed in Germany / 2880580 CW.02-23.3.0.13 rev b

TECHNICAL DETAILS

