



FX *airguns*

FX Panthera MKII

Specifications

MODEL	Aluminium Chassis
CALIBER	.22 18 shot Removable high capacity, easy load
WEIGHT (KG)	4,13kg
LENGTH	700mm: 1190mm overall length
LEFT OR RIGHT	Ambi
TRIGGER	2 stage adjustable
REGULATOR	AMP MKII
OPTICS	30MOA Picatinny
MUZZLE	1/2 UNF
GRIP	FX UG1
COCKING	Reverible Smooth side lever cocking
SAFETY	Switch style
FILL PRESSURE	250 Bar
AIR CYLINDER	Carbon Fiber Bottle/Plenum over the barrel
AIR CAPACITY	300cc
CHARGING	QD Foster
PRESSURE GAUGE	One for system pressure; One for regulator pressure
SHOT CAPACITY	5,5 (.22) 40 shots with 30gr slug at 980fps
ENERGY	5,5 (.22): up to 100ft/lbs - 136 joule
POWER	Full Power

FXairguns

Specifications

MODEL	Aluminium Chassis
CALIBER	.25 16 shot Removable high capacity, easy load
WEIGHT (KG)	4,13kg
LENGTH	700mm: 1190mm overall length
LEFT OR RIGHT	Ambi
TRIGGER	2 stage adjustable
REGULATOR	AMP MKII
OPTICS	30MOA Picatinny
MUZZLE	1/2 UNF
GRIP	FX UG1
COCKING	Reverible Smooth side lever cocking
SAFETY	Switch style
FILL PRESSURE	250 Bar
AIR CYLINDER	Carbon Fiber Bottle/Plenum over the barrel
AIR CAPACITY	300cc
CHARGING	QD Foster
PRESSURE GAUGE	One for system pressure; One for regulator pressure
SHOT CAPACITY	6,35 (.25) 27 shots with 40gr slug at 970fps
ENERGY	6,35 (.25): up to 111ft/lbs - 150 Joule
POWER	Full Power

FXairguns

Specifications

MODEL	Aluminium Chassis
CALIBER	.30 13 shot Removable high capacity, easy load
WEIGHT (KG)	4,13kg
LENGTH	700mm: 1190mm overall length
LEFT OR RIGHT	Ambi
TRIGGER	2 stage adjustable
REGULATOR	AMP MKII
OPTICS	30MOA Picatinny
MUZZLE	1/2 UNF
GRIP	FX UG1
COCKING	Reverible Smooth side lever cocking
SAFETY	Switch style
FILL PRESSURE	250 Bar
AIR CYLINDER	Carbon Fiber Bottle/Plenum over the barrel
AIR CAPACITY	300cc
CHARGING	QD Foster
PRESSURE GAUGE	One for system pressure; One for regulator pressure
SHOT CAPACITY	7,62 (.30) 32 shots with 50gr slug at 950fps
ENERGY	7,62 (.30): up to 150ft/lbs - 203 Joule
POWER	Full Power

FXairguns



FXairguns